PATENT COOPERATION TREATY

PCT

REO'D	29	MAR	2005
WIPO		1	PÔT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

P-IEE-086-WO			FOR FURTHER ACTI	FURTHER ACTION See Notification of Transmittal of International Preliminary Examination Report (Form PCT/IPEA/416)					
			international filing date (day 08.12.2003	mon	nth/year)	Priority date <i>(day/month/year)</i> 09.12.2002			
Internationa H01H13/ Applicant		Classification (IPC) or be	oth national classification and	IPC					
	ERNATI	ONAL ELECTRON	ICS & ENGINEERING S	.A.					
1. This	International	tional preliminary exar d is transmitted to the	mination report has been p applicant according to Arti	repa cle (red by this Inter 36.	rnational Preliminary Examining			
2. This	REPOR	RT consists of a total of	of 5 sheets, including this	ove	r sheet.				
⊠	been a	amended and are the	nied by ANNEXES, i.e. she basis for this report and/or n 607 of the Administrative	shee	ets containing re	on, claims and/or drawings which hav ectifications made before this Authori he PCT).			
The	se anne	xes consist of a total of	of 1 sheets.						
	· · · · · · · · · · · · · · · · · · ·								
3. This	_		elating to the following item	s:					
j 		Basis of the opinion							
11		Priority	and the south						
III	_	non-establishment of ack of unity of invent	opinion with regard to nove	ity,	inventive step a	nd industrial applicability			
V	⊠ F	રeasoned statement ા		ega: neni	rd to novelty, in	ventive step or industrial applicability			
VI	_	Certain documents cit	• • •		•				
VII		Certain defects in the	international application						
VIII		Certain observations o	on the international applicat	ion					
Data of sub									
Date of Sub	illissioi i	of the demand	. Di	ate o	of completion of the	is report			
17.06.2004			3	30.03.2005					
Name and preliminary	examinir	ddress of the internation ng authority:		ıthor	rized Officer	of Carlotte Palentes			
The state of the s	NL-22	ean Patent Office - P.B. 280 HV Rijswijk - Pays B	as p	amí	írez Fueyo, M	<i>i</i> an			
ارری	Tel. +	31 70 340 - 2040 Tx: 31 -31 70 340 - 3016	651 epo nl						

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/EP 03/50961

I. Basis of the I

1. With regard to the **elements** of the international application (Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17)):

	Des	scription, Pages					
	1-1	0	as originally filed				
	Cla	ims, Numbers					
	2-1	5	as originally filed				
	1		received on 04.01.2005 with letter of 30.12.2004				
	Dra	wings, Sheets					
	1/2-	2/2	as originally filed				
With regard to the language, all the elements marked above were available or furnished to this language in which the international application was filed, unless otherwise indicated under this							
	The	These elements were available or furnished to this Authority in the following language: , which is:					
		the language of publ	inslation furnished for the purposes of the international search (under Rule 23.1(b)). ication of the international application (under Rule 48.3(b)). inslation furnished for the purposes of international preliminary examination (under 3).				
3.	Witl inte	n regard to any nucle rnational preliminary	otide and/or amino acid sequence disclosed in the international application, the examination was carried out on the basis of the sequence listing:				
		contained in the inte	rnational application in written form.				
		filed together with th	e international application in computer readable form.				
		furnished subsequently to this Authority in written form.					
		furnished subsequer	ntly to this Authority in computer readable form.				
		The statement that the international a	ne subsequently furnished written sequence listing does not go beyond the disclosure pplication as filed has been furnished.				
		The statement that the listing has been furnit	ne information recorded in computer readable form is identical to the written sequence ished.				
4.	The	amendments have re	esulted in the cancellation of:				
		the description,	pages:				
		the claims,	Nos.:				
		the drawings,	sheets:				

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International application No.

PCT/EP 03/50961

5. This report has been established as if (some of) the amendments had not been made, since they have been considered to go beyond the disclosure as filed (Rule 70.2(c)).

(Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.)

6. Additional observations, if necessary:

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N) Yes: Claims 1-15

No: Claims

Inventive step (IS) Yes: Claims 1-15

No: Claims

Industrial applicability (IA) Yes: Claims 1-15

No: Claims

2. Citations and explanations

see separate sheet

EXAMINATION REPORT - SEPARATE SHEET

Re Item V

Reasoned statement with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Reference is made to the following document:

D1: US-A-4 362 911 (GROSS JACK R ET AL) 7 December 1982 (1982-12-07)

2. The document D1 is regarded as being the closest prior art to the subject-matter of claim 1, and shows (the references in parentheses applying to this document):

The document D1 discloses (the references in parentheses applying to this document) a foil-type switching element comprising a first carrier foil and a second carrier foil arranged at a certain distance from each other by means of a spacer (28), said spacer comprising at least one recess (30) defining an active area of the switching element, and at least two electrodes (36, 40) arranged in the active area of the switching element between said first and second carrier foils in such a way that, in response to a pressure acting on the active area of the switching element, the first and second carrier foils are pressed together against the reaction force of the elastic carrier foils and an electrical contact is established between the at least two electrodes, at least one of said first and second carrier foils comprising a multi-layered configuration with an inner supporting foil (32, 38) and an outer elastic activation layer (50, 46).

The subject-matter of claim 1 differs from this known foil type switching element in that the outer activation layer is deformed in response to pressure acting thereon in such a way that it presents a greater thickness in a central region of said active area than in a peripheral region of said active area, and thereby presses said inner supporting foil towards the other carrier foil in said central region.

The subject-matter of claim 1 is therefore new (Article 33(2) PCT).

The problem to be solved by the present invention may be regarded as providing a foil type switching element having an improved response.

The solution to this problem proposed in claim 1 of the present application is considered as involving an inventive step (Article 33(3) PCT) because there is no hint in this direction in the prior art.

- 3. Claims 2-15 are dependent on claim 1 and as such also meet the requirements of the PCT with respect to novelty and inventive step.
- 4. Industrial applicability.

The subject matter of the application refers to a foil type switching element that is definitely industrially applicable.

P-IEE-086/WO

10

WO 2004/053906

Claims

1. Foil-type switching element comprising

a first carrier foil and a second carrier foil arranged at a certain distance from each other by means of a spacer, said spacer comprising at least one recess defining an active area of the switching element, and

at least two electrodes arranged in the active area of the switching element between said first and second carrier foils in such a way that, in response to a pressure acting on the active area of the switching element, the first and second carrier foils are pressed together against the reaction force of the elastic carrier foils and an electrical contact is established between the at least two electrodes,

characterized in that

at least one of said first and second carrier foils comprises a multi-layered configuration with an inner supporting foil and an outer elastic activation layer, which in response to pressure acting thereon, is deformed in such a way that it presents a greater thickness in a central region of said active area than in a peripheral region of said active area, and thereby presses said inner supporting foil towards the other carrier foil in said central region.

15

10

5